

INDEX MAPS.

T. 25 N. R. 10 E. 2nd Mer.



T. 24 N. R. 10 E. 2nd Mer.



☞ The figures on the lines refer to the page.

Township 24 North, Range 10 East, 2nd Mer.

South Boundary

Var. 6° 15' E.

West on S. Side of Sec. 36.

40.00 Set g. sec. post from which
a Beech 24 in. dia. bears S 75 W 8 lks. dist. &
a Do 18 " " " S 65 E 8 " "

80.00 Set post cor. to Secs. 35 & 36 from which
a Beech 18 in. dia. bears N 27 W 5 lks. dist. &
a Do 18 " " " N 45 E 20 " "
Land rich. Timber Beech. Sugar. Ash &c.

West on S. Side of Sec. 35.

40.00 Set g. sec. post from which
a Beech 12 in. dia. bears N 45 E 6 lks. dist. &
a Hickory 12 " " " S 55 E 6 " "

80.00 Set post cor. to Secs. 34 & 35 from which
an Ash 10 in. dia. bears N 80 W 32 lks. dist. &
a Beech 10 " " " N 76 E 32 " "
Land & Timber Same as on the last line.

West on S. Side of Sec. 34.

40.00 Set g. sec. post from which
a W. Oak 10 in. dia. bears N 62 E 16 lks. dist. &
a Beech 10 " " " S 2 W 9 " "

80.00 Set post cor. to Secs. 33 & 34 from which
a Beech 12 in. dia. bears N 70 W 21 lks. dist. &
a Do 24 " " " S 56 E 21 " "
Land & Timber Same as on the last line.

West on S. Side of Sec. 33.

40.00 Set g. sec. post from which
a Beech 18 in. dia. bears N 78 E 21 lks. dist. &
an Ash 24 " " " N 81 W 31 " "

80.00 Set post cor. to Secs. 32 & 33 from which
a Hickory 30 in. dia. bears N 17 W 30 lks. dist. &
a Beech 18 " " " S 68 E 14 " "

T. 24 N. R. 10 E. 2nd P.M. Indiana

Land & Timber Same as on the last line.

West on S. side of Sec. 32.
40.00 Set g. Sec. post from which
an Elm 10 in. dia. bears N 55 W 12 lks. dist. &
a Hickory 10 " " " N 33 E 22 " "
60.00 Set post Cor. to Secs. 31 & 32 from which
a Beech 18 in. dia. bears N 46 E 23 lks. dist. &
a Do 12 " " " N 30 W 12 " "
Land & Timber Same as on the last line.

West on S. side of Sec. 31.
40.00 Set g. Sec. post from which
a Beech 24 in. dia. bears N 56 E 5 lks. dist. &
a Do 12 " " " N 26 W 28 " "
79.00 Intersect Range line & set post Cor. to Town
23 & 24 North, Ranges 9 & 10 East from which
an Ash 10 in. dia. bears N 41 W 11 lks. dist. &
a Do 10 " " " N 33 W 43 " "
Land & Timber Same as on last line
March 28th 1820.

East Boundary
Var. 6° 55' E.

North on E. side of Sec. 36.
22.80 a Hickory 14 in. dia
40.00 Set g. Sec. post from which
an Ash 6 in. dia. bears N 43 E 8 lks. dist. &
a Hickory 8 " " " N 73 W 28 " "
45.00 Enter a Swamp Course E & W.
60.00 Leave do
80.00 Set post Cor. to Secs. 25 & 36 from which
an Oak 13 in. dia. bears N 35 E 21 lks. dist. &
an Ash 9 " " " N 75 W 5 " "
Swampy Land.

North on E. side of Sec. 25.
40.00 Set g. Sec. post from which (in head of swamp. Course W)
a Maple 8 in. dia. bears S 79 E 7 lks dist. X
a Do 12 " " " S 9 W 7 " "
63.40 an ash 14 " "
80.00 Set post Cor. to Sec's. 24 & 25 from which
an Oak 20 in. dia. bears N 21 E 15 lks dist. X
an Elm 9 " " " N 79 W 13 " "
Post stands at head of swamp Course East
Swampy Land.

North on E. side of Sec. 24.
23.30 a Hickory 14 in. dia.
35.00 a Swamp Course E & W.
40.00 Set g. Sec. post from which
an ash 10 in. dia. bears North 335 lks dist.
61.10 a Do 15 " "
80.00 Set post Cor. to Sec's. 13 & 24 from which
an Oak 10 in. dia. bears N 31 W 5 lks dist. X
a Do 12 " " " N 16 W 17 " "
Swampy land.

North on E. side of Sec. 13.
1.80 a Beech 14 in. dia.
40.00 Set g. Sec. post from which
an Ironwood 6 in. dia. bears N 36 W 17 lks dist. X
a Beech 8 " " " N 35 E 23 " "
59.79 a Maple 24 " "
65.01 Pond Creek 400 lks wide Course N.E.
80.00 Set post Cor. to Sec's. 12 & 13 from which
a Beech 12 in. dia. bears N 31 E 29 lks dist. X
a Dogwood 7 " " " N 29 W 31 " "
Swampy land.

North on E. side of Sec. 12
3.00 a Creek 100 lks. wide Course N.W.

T. 24 N. R. 10 E. 2nd. Mer. Indiana

15.80 an Ash 14 in. dia.
40.00 Set g. sec. post from which
a Beech 8 in. dia. bears S 38 W 4 lks. dist. X
a Lynn 36 " " " N 54 E 32 " "
56.75 an Elm 18 " " " "
80.00 Set post Cor. to Secs. 1 & 12 from which
a Beech 6 in. dia. bears S 16 W 15 lks. dist. X
an Oak 40 " " " N 10 E 22 " "
Swampy land.

North on E. side of Sec. 1
40.00 Set g. sec. post from which
a Hickory 18 in. dia. bears N 56 W 15 lks. dist. X
an Oak 33 " " " East 4 " "
85.00 Set post Cor. to Towns 24 & 25 N. Range 10 & 11 E.
a Hickory 20 in. dia. bears S 33 W 22 lks. dist. X
a Do 13 " " " N 64 E 29 " "
Over good farming land. Timber Beech. Sugar, Ash &c. Ang. Spice &c.
N. B. The Line between Towns 24 & 25 N. Range 11 E. is 473.32 Ch. or 31 Lks.

North Boundary
Var. 6° 30' E.

West on S. side of Sec. 36 T. 25 N. R. 10 E.
22.90 a Beech 18 in. dia.
40.00 Set g. sec. post from which
a Beech 16 in. dia. bears N 84 E 26 lks. dist. X
a Do 18 " " " S 77 W 35 " "
49.50 a W. Oak 12 " "
80.00 Set post Cor. to Secs. 35 & 36 from which
an Ash 12 in. dia. bears N 51 E 29 lks. dist. X
a Do 12 " " " S 25 E 19 " "
Land level. Timber Beech. Oak. Ash &c.

West on S. side of Sec. 35 T. 25 N. R 10 E.

40.00 Set q. sec. post in swamp from which
a W. Oak 24 in. dia. bears West ——
80.00 Set post Cor. to Secs. 34 & 35 from which
an Elm 12 in. dia. bears S 89 W 2 lks. dist. &
a Do 8 " " " N 75 E 18 " "
Land Level. Timber Beech. Oak. Elm & Ash

West on S. side of Sec. 34 T. 25 N. R. 10 E.
25.34 a Beech 12 in. dia.
40.00 Set q. sec. post from which
a Buckeye 6 in. dia. bears N 30 E 5 lks. dist. &
an Ash 12 " " " N 83 W 22 " "
49.75 a Beech 30 lks. in dc Conn. N. E.
64.50 a Beech 12 in. dia.
80.00 Set post Cor. to Secs. 33 & 34 from which
a Beech 12 in. dia. bears N 80 E 18 lks. dist. &
a Do 12 " " " N 86 W 16 " "
Land, Timber &c. Same as before

West on S. side of Sec. 33 T. 25 N. R. 10 E.
5.26 a Beech 15 in. dia.
40.00 Set q. sec. post from which
an Elm 12 in. dia. bears N 84 E 23 lks. dist. &
a Do 10 " " " S 57 W 10 " "
80.00 Set post Cor. to Secs. 32 & 33 from which
an Ash 8 in. dia. bears N 58 E 25 lks. dist. &
a Do 8 " " " North 28 " "
Land. Timber &c. Same as before.

West on S. side of Sec. 32 T. 25 N. R. 10 E.
25.55 a Beech 18 in. dia.
40.00 Set q. sec. post from which
an Elm 18 in. dia. bears N 30 E 6 lks. dist. &
a Do 14 " " " S 2 E 22 " "
80.00 Set post Cor. to Secs. 31 & 32 from which
a Maple 15 in. dia. bears S 59 E 33 lks. dist.

T. 24 N. R. 10 E. 2nd P.M. Indiana

a Maple 12 in. dia. bears S 36 W 9 lks. dist.
Land. Timbr &c. Same as before.

West on S. Side of sec. 31 T. 25 N. R. 10 E.
40.00 1/4 sec. post from which
a Beech 14 in. dia. bears S 16 W 12 lks. dist. X
a Do 12 " " " N 32 E 40 " "
36.50 To Town Corner.
Low wet Land. Timbr as before
March 29th 1820.

West Boundary
Var. 6° 45' E.

North on E. Side of sec. 36 T. 24 N. R. 9 E.
40.00 1/4 sec. post from which
a Mulberry 18 in. dia. bears N 17 W 26 lks. dist. X
a Sugar 12 " " " S 50 E 22 " "
80.00 1/4 post Cor. to Sec. 25 & 36 from which
a Beech 12 in. dia. bears S 10 E 40 lks. dist. X
a Do 10 " " " N 82 W 32 " "
Land rich. Timbr Beech. Sugar &c.

North on E. Side of sec. 25 T. 24 N. R. 9 E.
24.90 a Beech 24 in. dia.
40.00 1/4 sec. post from which
a Dogwood 16 in. dia. bears S 64 E 5 lks. dist. X
a Hickory 10 " " " N 75 W 35 " "
80.00 1/4 post Cor. to Sec. 24 & 25 from which
an Ash 10 in. dia. bears S 20 E 7 lks. dist. X
an Elm 10 " " " S 81 W 10 " "
Land wet. Timbr Maple &c.

North on E. Side of sec. 24 T. 24 N. R. 9 E.
40.00 1/4 sec. post from which
a Beech 18 in. dia. bears N 41 W 31 lks. dist. X
a B. Oak 10 " " " S 25 E 5 " "

T. 24 N. R. 10 E. 2nd P.M. Indiana

80.00 Set post cor. to Secs. 13 & 24 from which
a W. Oak 24 in. dia. bears N 31 W 13 lks. dist. &
a Beech 12 " " " N 1 W 16 " "
Timbr Beech &c.

North on E. side of sec. 13 T. 24 N. R. 9 E.
40.00 Set q. sec. post from which
a R. Oak 12 in. dia. bears N 36 W 15 lks. dist. &
an Ash 8 " " " East 11 " "
80.00 Set post cor. to Secs. 12 & 13 from which
a W. Oak 12 in. dia. bears N 34 W 9 lks. dist. &
a Beech 12 " " " N 65 E 37 " "
wet Land.

North on E. side of sec. 12 T. 24 N. R. 9 E.
40.00 Set q. sec. post from which
an Ash 12 in. dia. bears N 33 E 9 lks. dist. &
a Do 12 " " " S 79 W 21 " "
80.00 Set post cor. to Secs. 1 & 12 from which
an Ash 8 in. dia. bears N 34 W 7 lks. dist. &
a W. Oak 12 " " " N 41 E 4 " "
Land as afore.

North on E. side of sec. 1 T. 24 N. R. 9 E.
40.00 Set q. sec. post from which
a Buck 12 in. dia. bears N 29 W 12 lks. dist. &
a Do 24 " " " S 89 E 21 " "
46.00 a Branch 15 lks. wide Course N. W.
84.00 Set post cor. to Townships 24 & 25 North.
Ranges 9 & 10 East. from which
a W. Oak 36 in. dia. bears N 56 W 36 lks. dist. &
a Hickory 12 " " " S 69 E 14 " "
Land tich. Timbr. Beech. Sugar. Ash &c.
March 29th 1820 Surveyed by
John Mc. Donald. D. S.

T. 24 N. — R. 10 E. 2nd P. Mer. Indiana

Subdivision

Var. N. & S. lines 7° 15' E. — E. & W. lines 4° & 5° E.

North Between Sec^s. 35 & 36.

22.75 a W. Oak 10 in. dia.

40.00 Set gr. sec. post from which
a Maple 10 in. dia. bears S 20 W 7 lks. dist. &
a W. Oak 18 " " " N 21 E 20 " "

59.50 a W. Ash 12 " "

80.00 Set post Cor. to Sec^s. 25. 26. 35 & 36 fr. which
a Sugar 8 in. dia. bears S 46 E 12 lks. dist. &
a W. Ash 6 " " " West 13 " "
Level wet land. with little Cat Swamps
Timber Oak. Hickory. Elm. Ash. Sugar &
Beech. ung^t. Spice. P. ash. Haw. Ironwood &c

East on Random between Sec^s. 25 & 26.

23.25 an Elm Root 24 in. wide & 3 in. thick

23.00 Enter a Swamp lies N. & S.

71.30 Leave do

79.25 Intersect E. Bound. line 100 lks. N. of post.
Land swampy. Timber &c. as before.

West Correct between Sec^s. 25 & 36.

39.62 Set gr. sec. post at average dist. fr. which
a Maple 12 in. dia. bears N 16 W 10 lks. dist. &
a Do 30 " " " S 16 E 36 " "

79.25 To sec. corner.

North Between Sec^s. 25 & 26.

5.00 Enter a Swamp Course E. & W.

21.50 a forked Maple 24 in. dia.

39.00 Leave the Swamp.

40.00 Set gr. sec. post from which
a W. Oak 10 in. dia. bears N 55 W 9 lks. dist. &
a Do 20 " " " S 50 E 10 " "

59.75 a Beech 14 " "

80.00 Set post Cor. to Secs. 23. 24. 25 & 26 fr. which
a Sycamore 8 in. dia. bears South 5 lks. dist.
a Dogwood 5 " " " N 65 E 3 " "
Land. Timber fr. Same as on last line.

East on Random between Secs. 24 & 25.
20.50 a W. Oak 10 in. dia.
40.00 Set temp. q. Sec. post.
60.50 a Maple 10 in. dia.
79.50 Intersect E. Bound. line 200 lks. N. of post.
Land fr. Same as before. (except Swamp)

West Correct between Secs. 24 & 25.
18.50 a R. Oak 18 in. dia.
39.75 Set q. Sec. post at range dist. fr. which
a Maple 24 in. dia. bears N 73 W 25 lks dist.
a Water Beech 7 " " " S 73 E 15 " "
79.50 To Sec. Corner

North Between Secs. 23 & 24.
19.75 a Dogwood 8 in. dia.
40.00 Set fr. Sec. post from which
a Beech 10 in. dia. bears N 17 E 25 lks dist.
a Do 13 " " " S 62 W 15 " "
61.75 a B. Ash 7 " "
80.00 Set post Cor. to Secs. 13. 14. 23 & 24 fr. which
a Maple 20 in. dia. bears West 12 lks dist.
a Do 30 " " " N 61 E 33 " "
Land Level & Timber fr. Same as before.

East on Random between Secs. 13 & 24.
20.50 a Beech 12 in. dia.
40.00 Set q. Sec. post (temp.)
79.00 Intersect E. Bound. line 90 lks. N. of Post.
Land. Timber fr. Same as before fr.

T. 24 N. R. 10 E. 2nd Mer. Indiana

West Correct between Secs. 13 & 24.
19.00 a Maple 24 in. dia.
39.50 Set q. sec. post at angle dist. from which
an Elm 8 in. dia. bears N 14 E 4 lks. dist. &
a Ash 14 " " " N 35 W 40 " "
79.00 To sec. corner.

North Between Secs. 13 & 14
20.00 a Beech 14 in. dia.
40.00 Set q. sec. post from which
a Beech 14 in. dia. bears N 43 E 65 lks. dist. &
a Ash 16 " " " N 43 W 26 " "
60.75 a Ash 15 " "
80.00 Set post Cor. to Secs. 11. 12. 13 & 14 from which
a Beech 10 in. dia. bears S 39 W 15 lks. dist.
a Ash 12 " " " N 37 E 14 " "
Sand. Timber &c. same as on the last line.

East on Random between Secs. 12 & 13.
20.00 a Hickory 18 in. dia.
40.00 Set temp q. sec. post
79.50 Intersect E. Bound. Line 46 lks. N. of post.
Sand. rolling. Timber &c. nearly same as before.

West Correct between Secs. 12 & 13.
18.00 a W. Ash 18 in. dia.
39.75 Set q. sec. post at angle dist. from which
Beech 14 in. dia. bears S 46 E 14 lks. dist. &
a Ash 10 " " " N 10 W 17 " "
79.50 To sec. corner.

North Between Secs. 11 & 12.
21.50 an Elm 6 in. dia.
40.00 Set q. sec. post from which
a B. Ash 8 in. dia. bears S 55 W 4 lks. dist. &
a R. Oak 18 " " " S 73 E 31 " "

41.50 a Stream 10 lks. wide Course S.W.
60.00 a Buch 12 in. dia.
80.00 Set Post Cor. to Sec. 1. 2. 11 & 12 from which
a Beech 8 in. dia. bears S 78 W 12 lks. dist.
a Do 12 " " " N 38 E 4 " "
Sand &c. Same as before.

East on Random between Secs. 1 & 12.
20.50 a Beech 12 in. dia.
40.00 Set Temp. Q. Sec. Post.
79.50 Intersect E Bound. line 20 lks. S. of post.
Sand &c. Same as before.

West Correct between Secs. 1 & 12.
18.50 a Sugar 14 in. dia.
39.75 Set Q. Sec. Post at average dist. from which
a B. Ash 16 in. dia. bears N 30 E 15 lks. dist. &
a Do 18 " " " N 87 E 35 " "
79.50 To Sec. Corner.

North Between Secs. 1 & 12
20.75 a W. Oak 6 in. dia.
40.00 Set Q. Sec. Post from which
a B. Ash 16 in. dia. bears N 87 E 22 lks. dist. &
a Buch 14 " " " S 61 W 11 " "
60.50 a W. Oak 6 " "
82.00 Intersect N. Bound line 60 lks. E. of post.
where set Post Cor. to Secs. 1 & 2 from which
a W. Ash 14 in. dia. bears N 83 W 9 lks. dist. &
a W. Oak 14 " " " S 20 E 15 " "
Sand &c. Same as on the last line.

North Between Secs. 34 & 35.
20.00 a Maple 14 in. dia.
40.00 Set Q. Sec. Post from which
a Beech 8 in. dia. bears S 73 W 10 lks. dist. &.

T. 24 N. — R. 10 E. 2nd Mer. Indiana.

a Beech 15 in. dia. brs N 82 E 12 lks. dist.
60.00 a W. Oak 6 " "
62.00 Enter a swamp, lies N. & S.
80.00 Set post Cor. to Sec. 26, 27, 34 & 35 from which
a W. Ash 15 in. dia. brs N 20 E 150 lks. dist.
Land swampy. Timber Oak. Elm. Ash.
Hickory &c. Undg. & Spice. Willow. P. Ash.
Hopple. Spicebush &c.

East on Random between Secs. 26 & 35.
38.00 Leave the swamp.
40.00 Set temp. q. sec. post.
60.00 a W. Oak 10 in. dia.
80.00 Intersect N.S. line at post.
Land, Timber &c. Same as on last line.

West Mark between Secs. 26 & 35.
40.00 Set q. sec. post at angle dist. from which
a Beech 15 in. dia. brs N 87 W 10 lks. dist. &
a Do 10 " " " N 10 E 10 " "
80.00 To Sec. Corner.

North Between Secs. 26 & 27
20.50 a W. Ash 10 in. dia.
40.00 Set q. sec. post from which
a Beech 18 in. dia. brs N 15 W 20 lks. dist. &
a R. Oak 15 " " " S 54 E 40 " "
40.00 Leave the swamp.
59.50 a Sugar 18 in. dia.
80.00 Set post Cor. to Secs. 22. 23. 26 & 27 from which
a Beech 10 in. dia. brs S 39 W 12 lks. dist. &
a Do 20 " " " N 57 E 50 " "
Land, Timber &c. Same as before.

East on Random between Secs. 23 & 26.
20.00 a Beech 12 in. dia.

T. 24 N. — R. 10 E. 2nd P. Mer. Indiana

40.00 Set temp. q. Sec. post.
60.00 a Beech 12 in. dia.
80.50 Intersect N.S. line at post.
Land flat & wet. Timber &c. as before

West Mark between Secs. 23 & 26.
40.25 Set q. Sec. post at angle dist. from which
a Beech 10 in. dia. bears S 35 E 30 lks. dist. &
a Do 12 " " " West 35 " "
80.50 To Sec. Corner

North Between Secs. 22 & 23.
20.00 an Elm 10 in. dia.
40.00 Set q. Sec. Post from which
a Beech 6 in. dia. bears S 78 W 14 lks. dist. &
a Sugar 18 " " " N 30 E 40 " "
60.00 an Elm 12 " "
80.00 Set post cor. to Secs. 14. 15. 22 & 23 from which
a Buck 15 in dia. bears N 53 W 20 lks. dist. &
a Do 10 " " " S 8 E 30 " "
Land. Timber &c. same as before

East on Random between Secs. 14 & 23
20.00 an Elm 10 in. dia.
32.00 Enter a Swamp course N.S.
40.00 Set temp. q. Sec. post.
43.50 Lean the Swamp.
80.60 Intersect N.S. line at post.
Land Swampy & wet. Timber as before

West Mark between Secs. 14 & 23.
40.30 Set q. Sec. post at angle dist. from which
a Willow 10 in. dia. bears S 49 E 10 lks. dist. &
a W. Ash 6 " " " S 87 W 14 " "
80.60 To Sec. Corner.

T. 24 N. R. 10 E. 2nd Mer. Indiana

North Between Secs. 14 & 15.
20.00 a W. ash 20 in. dia.
40.00 Set g. sec. post from which
a Sugar 14 in. dia. bears N 16 E 12 lks. dist. &
a Beech 14 " " " S 74 W 35 " "
60.20 a Lynn 18 " "
80.00 Set post cor. to Secs. 10. 11. 14 & 15 from which
an Ironwood 4 in. dia. bears S 7 E 5 lks. dist. &
a Beech 14 " " " N 30 E 5 " "
Land & Timber Same as before. except swamp.

East on Random between Secs. 11 & 14
20.30 a W. Oak 6 in. dia.
40.00 Set temp. g. sec. post.
81.00 Intersect N.S. line 75 lks. S. of post.
Land & Timber Same as before.

West Correct between Secs. 11 & 14.
40.50 Set g. sec. post at mound dist. from which
a Beech 10 in. dia. bears N 35 W 20 lks. dist. &
a Do 8 " " " S 35 W 20 " "
81.00 To sec. corner.

North Between Secs. 10 & 11.
20.00 a Dogwood 6 in. dia.
40.00 Set g. sec. post from which
a Beech 12 in. dia. bears South 26 lks. dist. &
a Do 6 " " " N 76 E 30 " "
41.00 a stream 8 lks. wide course N.E.
60.00 a Buckeye 6 in. dia.
80.00 Set post Cor. to Secs. 2. 3. 10 & 11 from which
a Beech 8 in. dia. bears S 80 E 18 lks. dist. &
a Do 12 " " " N 42 W 26 " "
Land & Timber Same as before

East on Random between Secs. 2 & 11.

T. 24 N. R. 10 E. 2nd P. Mer. Indiana

3.00 a Stream 15 lks. wide Course N. W.
20.00 an Ironwood 6 in. dia.
40.00 Set temp. q. sec. post.
80.00 Intersect M.L. line 90 lks. S. of post
Land & Timber same as before.

West Correct between Secs. 2 & 11.
20.00 an Ironwood 6 in. dia.
40.00 Set q. sec. post at average dist. from which
a B. Ash 20 in. dia. bears N 62 E 18 lks. dist. &
a Beech 6 " " " S 37 W 12 " "
80.00 To Sec. Corner.

North Between Secs. 2 & 3
1.00 a Stream 15 lks. wide Course N.W.
21.00 an Ironwood 6 in. dia.
40.00 Set q. sec. post from which
an Elm 18 in. dia. bears N 40 E 22 lks dist. &
a Do 20 " " " N 60 W 20 " "
57.00 Enter a Swamp lies every way
65.00 Leave do
80.25 Intersect N. Bound. line 67 lks. E. of post.
whence set post Cor. to Secs. 2 & 3 from which
an Elm 30 in. dia. bears N 14 W 12 lks. dist. &
a Bur Oak 10 " " " N 52 E 18 " "
Land & Timber same as before.

North Between Secs. 33 & 34
40.10 Set q. sec. post from which
a Beech 18 in. dia. bears N 46 E 60 lks. dist. &
a Do 10 " " " S 37 W 14 " "
57.00 Enter a Swamp lies N. & W.
64.00 Leave do
60.00 a Bur Oak 18 in. dia.
80.00 Set post Cor. to Secs. 27, 28, 33 & 34 from which
a Beech 18 in. dia. bears S 53 W 8 lks. dist. &

T. 24 N. R. 10 E. 2nd P.M. Indiana

a Sug. 18 in. dia. bears N 76 E 30 lks. dist.
Sandy flat & swampy. Timber Oak. Hickory
Elm. Ash &c. mag. 1/2 as before mentioned

East on Random between Secs. 27 & 34.
27.00 a R. Oak 44 in. dia.
40.00 Set temp. q. sec. post.
50.20 Enter a Swamp Course N.E.
53.50 a Beech 12 in. dia.
80.00 Intersect N. S. line at post.
Land nearly all Swamp. Timber &c as before.

West Mark between Secs. 27 & 34.
40.00 Set q. sec. post at angle dist. from which
a Beech 10 in. dia. bears N 29 W 5 lks. dist.
a Do 12 " " " S 15 E 14 " "
80.00 To Sec. Corner.

North Between Secs. 27 & 28.
15.00 Enter a Swamp Course E.
27.00 Leave do
40.00 Set q. sec. post from which
a Beech 12 in. dia. bears N 59 W 10 lks. dist.
an Elm 12 " " " N 65 E 15 " "
59.75 a Sycamore 30 " "
64.00 Enter a Swamp or Prairie
80.00 Set post cor. to Secs. 21. 22 27 & 28 from which
an Elm 6 in. dia. bears N 27 E 12 lks. dist.
a B. Ash 6 " " " N 85 W 10 " "
Land, Timber &c. as before described

East on Random between Secs. 22 & 27.
40.00 Set temp. q. sec. post.
40.20 Leave Swamp
59.50 a Beech 12 in. dia.
80.00 Intersect N. S. line at post.

Land nearly all swamp. Timber as before.

West Mark between Sec's. 22 & 27.
40.00 Set g. sec. post at angle dist. from which a Maple 14 in. dia. bears N 71 W 10 lks. dist. & a Do 12 " " " South 14 " "
80.00 To Sec. Corner.

North Between Sec's. 21 & 22
30.00 Lean Swamp & Enter Prairie lies E & W.
40.00 Set g. sec. post in the Prairie
52.00 Lean the Prairie
60.00 a Beech 12 in. dia.
70.00 Enter the same Prairie
80.00 Set Post in Prairie Cor. to Sec's. 15. 16. 21 & 22. Land Swamp & wet Prairie Oak. Elm & Ash.

East on Random between Sec's. 15 & 22
16.00 Lean the Prairie
20.00 a R. Oak 14 in. dia.
31.00 Enter the same Prairie
40.00 Set temp. g. sec. post
41.00 Lean the Prairie
59.75 a Beech 10 in. dia.
79.30 Intersect N. bdy. line 25 lks. E. of post. Land & Timber as before mentioned.

West Correct between Sec's. 15 & 22.
39.65 Set g. sec. post at angle dist. from which a R. Oak 10 in. dia. bears N 78 E 15 lks. dist. & a Bur Oak 10 " " " N 16 W 12 " "
55.00 a W. Ash 24 " "
79.30 To Sec. Corner.

North Between Sec's. 15 & 16.
30.00 Lean the Prairie

T. 24 N. – R. 10 E. 2nd Mer. Indiana

40.00 Set g.sec.post from which
a Dogwood 6 in. dia. bears S40 E 9 lks. dist. &
a Do 5 " " " N44 W 27 " "
60.00 a Beech 15 " "
80.00 Set post Cor. to Sec. 9. 10. 15 & 16 from which
an Ironwood 6 in. dia. bears N60 E 18 lks. dist. &
a W. Oak 24 " " " " N83 W 7 " "
Land & Timber nearly the same as before

East on Random between Secs. 10 & 15.
20.00 a W. Ash 15 in. dia.
40.00 Set temp. g.sec.post.
79.20 Intersect N.B. Line 80 lks. S. of post.
Land & Timber as before except swamp.

West Course between Secs. 10 & 15.
39.60 Set g.sec.post at average dist. from which
a Beech 18 in. dia. bears N65 E 18 lks. dist. &
a Do 20 " " " N65 W 10 " "
79.20 To Sec. Corner.

North between Secs. 9 & 10.
19.90 an Ironwood 6 in. dia.
40.00 Set g.sec.post from which
a Water Beech 6 in. dia. bears N37 W 12 lks. dist. &
a Do 6 " " " S88 E 4 " "
60.00 a Beech 14 " "
68.50 a Stream 10 lks. wide Course N.E.
80.00 Set post Cor. to Secs. 3. 4. 9 & 10 from which
a W. Ash 12 in. dia. bears N45 E 40 lks. dist. &
a Beech 18 " " " N89 W 30 " "
Land & Timber same as before.

East on Random between Secs. 3 & 10.
21.00 a Stream 10 lks. wide Course N.E.
22.00 a Beech 15 in. dia.

T. 24 N. — R. 10 E. 2nd P.M. Indiana

40.00 Set temp. q. sec. post.
80.00 Intersect N. line 100 lks. E. of post.
Land & Timber same as before.

West Correct between Secs. 3 & 10.
20.25 a W. Ash 15 in. dia.
40.00 Set q. sec. post at average dist. from which
a W. Ash 18 in. dia. bears S 82 E 30 lks. dist.
a Beech 16 " " " S 67 W 25 " "
80.00 To sec. corner.

North Between Secs. 3 & 4.
19.70 an Elm 6 in. dia.
40.00 Set q. sec. post from which
a Locust 16 in. dia. bears N 10 W 25 lks. dist.
a Beech 14 " " " S 42 E 34 " "
60.00 a Do 15 " "
80.30 Intersect N. Bound. line 65 lks. E. of post.
where set post Cor. to Secs. 3 & 4 from which
a W. Ash 10 in. dia. bears S 63 W 30 lks. dist.
a Beech 10 " " " S 47 E 34 " "
Land & Timber same as before.

North Between Secs. 32 & 33.
7.00 Enter a Swamp Course E & W.
23.00 a W. Oak 8 in. dia.
30.00 Leave the Swamp.
40.00 Set q. sec. post from which
a Beech 24 in. dia. bears S 11 W 15 lks. dist.
a Do 26 " " " N 71 E 45 " "
62.25 a Do 15 " "
80.00 Set post Cor. to Secs. 28. 29. 32 & 33 from which
a W. Oak 32 in. dia. bears South 60 lks. dist.
a Do 12 " " " N 30 E 10 " "
Flat wet land. Timber & Undt. as before described.

462 T. 24 N. R. 10 E. 2nd Mer. Indiana

East on Random between Secs. 28 & 33.
10.00 a Stream 10 lks. wide Course N.
20.00 a Hickory 14 in. dia.
40.00 Set temp. q. sec. post.
61.50 a Hickory 6 in. dia.
79.75 Intersect N.S. line 500 lks. S. of post
Land & Timber Same as before.

West Correct between Secs. 28 & 33.
39.87 Set q. sec. post at average dist. from which
an Elm 10 in. dia. bears S 5° E 13 lks. dist.
a Do 10 " " " S 85° E 10 " "
79.75 To Sec. Corner.

North Between Secs. 28 & 29.
20.25 a W. Ash 12 in. dia.
33.00 a Stream 10 lks. wide Course W.
40.00 Set q. sec. post from which
a Beech 12 in. dia. bears North 15 lks. dist.
a Do 10 " " " S 85° W 12 " "
61.00 Enter a Swamp lies N.E. & W.
62.00 a W. Ash 6 in. dia.
70.00 Leave the Swamp.
80.00 Set Post cor. to Secs. 20. 21. 28 & 29 from which
an Ironwood 6 in. dia. bears N 42° W 8 lks. dist.
a Dogwood 6 " " " S 20° E 25 " "
Land & Timber Same as on last line.

East on Random between Secs. 21 & 28.
15.00 Enter a Swamp.
20.00 a Beech 15 in. dia.
30.00 Leave the Swamp lies N.W.
40.00 Set temp. q. sec. post.
67.00 Enter Swamp.
81.00 Intersect N.S. line 10 lks. N. of post.
Land & Timber Same as on last line.

West Correct between Sec. 21 & 28.
40.50 Set q. sec. post at average dist. from which
a Maple 12 in. dia. bears N 35 W 4 lks. dist.
an Elm 6 " " " N 35 E 4 " "
81.00 To Sec. Corner.

North Between Sec. 20 & 21
10.00 Enter a Swamp or Prairie
24.00 a Lage on prairie
39.00 Lean do
40.00 Set q. Sec. post from which
a W. Oak 15 in. dia. bears N 27 E 10 lks. dist.
a Do 10 " " " N 27 W 8 " "
60.00 a W. Ash 12 " "
80.00 Set Post Cor. to Sec. 16 & 17. 20 & 21 from which
a Beech 24 in. dia. bears N 55 E 49 lks. dist.
a Do 18 " " " N 10 W 8 " "
Pass ½ mile Swamp & prairie Last ½ dry &
rolling. Timber & as before.

East on Random between Sec. 16 & 21.
64.00 Enter Swamp & Prairie
81.00 Intersect N. line 50 lks. E. of Post.
Land & Timber nearly same as before.

West Correct between Sec. 16 & 21.
20.00 a Beech 10 in. dia.
40.50 Set q. Sec. Post at average dist. from which
a Beech 12 in. dia. bears N 48 E 25 lks. dist.
a Do 10 " " " N 30 E 15 " "
60.00 a Do 10 " "
81.00 To Sec. Corner.

North Between Sec. 16 & 17
19.20 a Beech 18 in. dia.
31.00 Enter a Prairie

464 T. 24 N. R. 10 E. 2nd P.M. Indiana

40.00 Set g.sec.post from which in prairie
52.00 Lake thro prairie
60.25 a Beech 12 in. dia.
80.00 Set post Cor. to Secs. 8. 9. 16 & 17 fr. which
a W. ash 20 in. dia. bears N 85 W 25 lks. dist. &
a Beech 12 " " " N 76 E 25 " "
Land rolling, Timber Beech. Oak. ash.
Undergr. Sugar &c. unfit as before.

East on Random between Secs. 9 & 16.
19.50 an Ironwood 6 in. dia.
40.00 Set temp. g. sec. post.
41.00 Enter a swamp.
65.00 Leave do
66.50 a Walnut 10 in. dia.
80.40 Intersect N.S. line 10 lks. S. of post.
Land & Timber same as on last line.

West Correct between Secs. 9 & 16.
40.20 Set g. sec. post at angle dist. from which
an Elm 18 in. dia. bears S 71 W 6 lks. dist. &
a Maple 6 " " " N 30 E 35 " "
80.40 To Sec. Corner.

North Between Secs. 8 & 9.
14.00 a Stream 10 lks. wide course E.
21.75 a Beech 18 in. dia.
40.00 Set g. sec. post from which
a Beech 16 in. dia. bears N 33 E 50 lks. dist. &
a Sugar 13 " " " S 30 W 40 " "
60.50 a Do 18 " "
80.00 Set post Cor. to Secs. 4. 5. 8 & 9 from which
a W. Oak 6 in. dia. bears N 12 E 12 lks. dist. &
a Beech 24 " " " N 76 W 30 " "
Land & Timber same as on the last line.

T. 24 N. R. 10 E. 2nd Mer. Indiana

East on Random between Sec^s. 4 & 9.
19.10 a Beech 10 in. dia.
40.00 Set temp. q^r. sec. post.
64.75 a R. Oak 10 in. dia.
80.80 Intersect W.L. line at post.
Land & Timber same as on last line.

West Mark between Sec^s. 4 & 9.
40.40 Set q^r. sec. post at average dist. from which
a Beech 10 in. dia. bears S 34 E 15 lks. dist. &
a Bur Oak 30 " " " N 30 W 35 " "
80.80 To sec. corner.

North Between Sec^s. 4 & 5.
20.30 a Beech 10 in. dia.
40.00 Set q^r. sec. post from which
a Bur Oak 6 in. dia. bears S 34 W 10 lks. dist. &
a W. Ash 8 " " " N 28 W 3 " "
60.00 a Do 6 " "
82.50 Intersect W. Bound. line 21 lks. W. of post.
when set post cor. to Sec^s. 4 & 5 from which
an Ironwood 6 in. dia. bears N 64 E 20 lks. dist. &
a W. Ash 10 " " " S 51 W 50 " "
Land & Timber same as on last line.

North Between Sec^s. 31 & 32.
24.00 a Beech 18 in. dia.
40.00 Set q^r. sec. post from which
an Elm 12 in. dia. bears South 6 lks. dist. &
a W. Oak 6 " " " S 65 E 4 " "
40.00 Enter a Swamp lies E & N.W.
50.00 Leave do
60.00 a W. Ash 14 in. dia.
80.00 Set post cor. to Sec^s. 29. 30. 31 & 32 from which
an Elm 14 in. dia bears N 64 E 36 lks. dist. &
a Beech 12 " " " S 81 W 25 " "

466 T. 24 N. R. 10 E. 2nd P.M. Ind.a

Land flat wet. Timber Beech. Oak. Hickory.
Elm. Ash & some Sugar.
underwoods of all Kinds.

East on Random between Sec.s 29 & 32.
21.00 an Iron wood 8 in. dia.
40.00 Set temp. q.r sec. Post.
80.00 Intersect N.S. line at Post.
Land & Timber same as before except Swamp.

West Mark between Sec.s 29 & 32.
40.00 Set q.r sec. post at an. dist. from which
a W. Oak 14 in. dia. bears N 31 W 27 lks. dist. &
a Do 18 " " " N 62 E 28 " "
80.00 To sec. corner.

West Between Sec.s 30 & 31
30.00 a W. Ash 15 in. dia.
40.00 Set q.r sec. post from which
a Maple 12 in. dia. bears N 35 W 14 lks. dist. &
an Elm 6 " " " S 51 E 8 " "
41.00 Enter a Swamp.
60.00 Leave do
77.60 Intersect W. Bound. line 650 lks. N. of post.
when set post cor. to Sec.s 30 & 31 from which
a Sugar 14 in. dia. bears East 30 lks. dist. &
a Beech 24 " " " S 21 E 35 " "
Land & Timber same as on the last line
Jan.y 22nd 1823.

North Between Sec.s 29 & 30.
30.50 a Beech 12 in. dia.
40.00 Set q.r sec. post from which
a Beech 16 in. dia. bears N 11 W 12 lks. dist. &
a Do 18 " " " N 40 E 50 " "
60.10 a Do 12 " "

80.00 Set post Cor. to Sec's. 19. 20. 29 & 30 from which
a W. Oak 16 in. dia. bears S 21 E. 5 lks. dist. &
a Do 12 " " " N 31 W 35 " "
Land dryer & better, Timber &c. as before.

East on Random between Sec's. 20 & 29
30.00 a Stream 10 lks. wide runs N. & Enters Swamp.
38.00 Leave the Swamp.
40.00 Set temp. q. sec. post.
79.25 Intersect W. line 20 lks. S. of post.
Land wet & swampy, Timber &c. as before

West Correct between Sec's. 20 & 29
39.62 Set q. sec. post at mound dist. from which
a Beech 14 in. dia. bears S 83 E 25 lks. dist. &
a W. Oak 18 " " " N 83 W 5 " "
79.25 To Sec. Corner.

West Between Sec's. 19 & 30.
19.00 Enter a Swamp or Prairie S. & N. E.
40.00 Set q. sec. post in a thicket no bearings.
77.00 At post in the Swamp or Prairie no bearings
taken and no corner to be found.
Land chiefly Swamp & wet Prairie

North Between Sec's. 19 & 20.
1.50 Enter the Swamp or Prairie
27.00 Leave do
38.50 an Elm 12 in. dia.
40.00 Set q. sec. post from which
a Hickory 12 in. dia. bears N 72 W 12 lks. dist. &
a W. Oak 40 " " " N 41 E 25 " "
58.25 a Beech 18 " "
80.00 Set post Cor. to Sec's. 17. 18. 19 & 20 from which
a Beech 10 in. dia. bears N 45 W 19 lks. dist. &
a Do 8 " " " N 45 E 19 " "

T. 24 N. R. 10 E. 2nd Mer. Indiana

Land & same as on the last line.

East on Random between Sec. 17 & 20.
17.00 a Blue Ash 10 in. dia.
40.00 Set temp. q. Sec. Post.
59.50 a Beech 15 in. dia.
80.00 Intersect N.S. line at Post.
Land level & wet. Timber &c. as before

West Mark between Sec. 17 & 20.
40.00 Set q. Sec. Post at angle dist. P. which
an Elm 8 in. dia. bears North 2 lks. dist. &
a Do 6 " " " S 37 E 20 " "
80.00 To Sec. Corner.

West Between Sec. 18 & 19.
6.00 Cross South end of a Swamp.
20.00 a Hickory 15 in. dia.
40.00 Set q. Sec. Post from which
a Beech 18 in. dia. bears S 53 E 30 lks. dist. &
a Do 15 " " " N 70 E 45 " "
61.50 a Bur Oak 24 " "
75.00 Intersect N. Bound. line 100 lks. N. of Post.
whence Set Post Cor. to Sec. 18 & 19 from which
a Beech 18 in. dia. bears N 60 E 36 lks. dist. &
a Hickory 8 " " " N 39 W 17 " "
Land full of little Car Swamps.

North Between Sec. 17 & 18.
5.00 Enter a Swamp or prairie
37.00 Leave do.
40.00 Set q. Sec. Post from which
a W. Oak 40 in. dia. bears South 90 lks. dist. &
a W. Ash 8 " " " N 30 W 25 " "
61.00 a Hickory 6 " "
80.00 Set Post Cor. to Sec. T. 8. 17 & 18 from which

a Beech 14 in. dia. bears N65E 15 lks. dist. &
a Do 12 " " " N65W 27 " "
1st ¼ mile Swamp. Last ¼ dry good land.
Timber ye. Same as on last line.

East on Random between Sec^ns. 8 & 17 —
40.00 Set temp. ¼ sec. post.
61.50 a Stream 10 lks. wide runs N.E.
79.50 Intersect N.S. line
Land & Timber nearly the Same as before

West Correct between Sec^ns. 8 & 17.
20.50 an Elm 6 in. dia.
39.75 Set ¼ sec. post at angle dist. from which
a Hickory 13 in. dia. bears N66W 50 lks. dist. &
a W. Ash 8 " " " N35E 30 " "
79.50 To Sec. corner.

West Between Sec^ns. 7 & 18.
20.00 a Beech 18 in. dia.
40.00 Set ¼ Sec. post from which
a Beech 18 in. dia. bears East 10 lks. dist. &
a Do 14 " " " West 21 " "
60.40 a W. Ash 6 " "
75.10 Intersect N. Bound. line 80 lks. N. of post.
whence Set post Cor. to Sec^ns. 7 & 18 from which
a W. Oak 40 in. dia. bears East 35 lks. dist. &
a Beech 18 " " " North 40 " "
1st ¼ mile rolling good land. Last ¼ west.

North Between Sec^ns. 7 & 8 —
20.25 a Beech 15 in. dia.
40.00 Set ¼ sec. post from which
a Beech 12 in. dia. bears N86W 10 lks. dist. &
a Do 10 " " " S8E 9 " "
60.50 a Poplar 16 " "

T. 24 N. R. 10 E. 2nd Mer. Indiana

80.00 Set post Cor. to Sec^s. 5.6.7 & 8 from which
an Elm 10 in. dia. bears N 10 E 48 lks. dist. &
a Do 10 " " " N 35 E 39 " "
Land level & wet. Timber &c. as before.

East on Random between Sec^s. 5 & 8.
20.50 a Beech 12 in. dia.
30.00 a small Stream course N.
40.00 Set temp. q. Sec. post.
49.50 Intersect N. line 40 lks. S. of post.
Land &c Same as on last line.

West Corner between Sec^s. 5 & 8.
39.75 Set q. Sec. post & arrange dist. from which
a Sugar 15 in. dia. bears S 63 W 15 lks. dist. &
a Do 15 " " " N 63 E 30 " "
49.50 To Sec. Corner.

West Between Sec^s. 6 & 7.
20.50 a W. Ash 12 in. dia.
40.00 Set q. Sec. post from which
a W. Ash 12 in. dia. bears South 13 lks. dist. &
a Do 18 " " " S 78 W 16 " "
41.50 a Stream 8 lks. wide Course N.
60.50 a W. Ash 12 in. dia.
75.00 Intersect W. Bound. line 800 lks. N. of post in
the East edge of a Swamp, where set post
Cor. to Sec^s. 6 & 7 from which
an Aspen 8 in. dia. bears S 89 E 6 lks. dist. &
a Do 6 " " " S 31 E 16 " "
Land & Timber Same as on the last line.

North Between Sec^s. 5 & 6.
23.50 a Beech 18 in. dia.
12.00 a Stream 8 lks. wide Course N. W.
36.50 Same " N. E.

T. 24 N. — R. 10 E. 2nd Mer. Indiana

40.00 Set g. sec. post from which
a Red Oak 24 in. dia. bears N 43 E 12 lks. dist. &
a Bur Oak 12 " " " S 70 W 24 " "
49.00 Cross same Stream course N. W.
61.00 a Sugar 12 in. dia.
78.00 Intersect N. Bound. line 80 lks E. of post.
where set post Cor. to Secs. 5 & 6 from which
a Maple 12 in. dia. bears S 46 W 30 lks. dist &
an Elm 8 " " " S 20 E 25 " "
The South ½ of this Township is princi-
pally Swamp & prairie, and the North
½ pretty good 3rd rate Land.
January 1823 Surveyed by
Price F. Kellogg D. S.

I Certify that the foregoing transcript
of the field notes of Township 24 North,
in Range 10 East of the 2nd Meridian,
in Indiana, has been compared with
the original in this office, and found
to be correct.

Surveyor Generals Office
Cincinnati June 24, 1843

William Johnston
Surv. Genl.